



**Remik<sup>®</sup>**  
SEEDS

अच्छे बीज, अच्छे दिन







# ABOUT COMPANY

Our company provides high quality agricultural products with a service focus in a professional & dedicated environment. The Company has an extensive marketing network with loyal and committed distributors and dealers in pan India. Today, with a strong brand heritage, investment in R&D, unparalleled distribution depth and a vast product portfolio. We have established ourself as a premier provider of high quality, professional agricultural seeds manufacturer in a state-of-the-art facility for over a decade. Our future-forward technologies and market-disrupting innovations have made us the largest contract seed producers across the globe.







## OUR MISSION

To make available high-quality seeds of right type of Genotypes at right time and at affordable price.

## OUR STRENGTH

- \* We have fully qualified team having more than 25-year experience in seed industries in production, R & D & marketing
- \* We have two High-tech seed processing unit at Rajkot, Gondal, Botad and Ahmedabad with capacity of 500 MT seed processing per day with storage capacity 1500 MT at a time  
We have well equipped seed testing laboratory with technician team
- \* We have 12-acre R & D farm at Ahmedabad, Himatnagar, Rajkot, Gondal & Gadu for breeding program and testing innovative hybrid to assess their performance.
- \* We have office cum depot at Ahmedabad, it can better serve to our customer
- \* We have wide product range which can fees Indian farmer needs.





# INDEX

## WHEAT



REMIK SARITA  
REMIK RATAN  
REMIK NIRMAL

6

## BAJARA



REMIK 1020  
REMIK BREAD  
BOSS

8

## MAIZE



REMIK 7070  
REMIK 3535  
REMIK 2525

10

## PADDY



REMIK POHA  
REMIK OTP  
REMIK RAJ TILAK

12

## GROUDNUT



REMIK KRANTI  
GG-20  
GJG-22  
TAG-24  
GJG-32  
TAG 37-A  
TAG - 39  
SB - 11  
GIRNAR - 4

14

## SESAMUM



REMIK WHITE GOLD  
REMIK BLACK SUPER  
REMIK EARLY - 60  
REMIK-111

17

## CASTOR



REMIK 7777  
REMIK MILLIONAIRE

19

## COTTON



REMIK MIRAYA  
REMIK FASTY

21

## MUSTARD



REMIK MINISTER  
REMIK BLACK MONEY

23

## SUNFLOWER



REMIK SUNBRUST

25

## SOYABEAN



REMIK PANTHER

26

## GRAM



REMIK CHETAK  
REMIK WHITE MONEY

27

## GREEN GRAM



REMIK SHAKTI  
REMIK GREEN  
FUEL

29

## BLACK GRAM



REMIK BLACK GOLD

29

## PEA



REMIK WONDER  
STROW

30



# INDEX

## PIGEON PEA



REMIK PEAK PROFIT

31

## CLUSTER BEAN



REMIK STICKY  
Remik Green Vibe

32

## CORIANDER



REMIK SUPER  
REMIK HALLMARK

33

## CUMIN



REMIK-5  
REMIK SPICE JET

35

## FENUGREEK



REMIK KESAR

37

## ISABGUL



REMIK  
MARVELLO

37

## FODDER CROP



LUCERN  
CHICORY  
CHICORY (IMP.)  
OAT  
HYBRID SSG  
PREMIM RAJKA BAJRI  
RAJKA BAJRI  
MAIZE ( AFRICAN TALL )  
BARSIM  
M P CHARI  
GRASS

38

## FODDER CROP



CHICORY  
CHICORY (MP.)  
OAT

44

## OUR CERTIFIED VARIETY

WHEAT  
CUMIN  
GRAM  
SESAMUM  
GREEN GRAM  
BLACK GRAM  
SOYABEAN  
PADDY

45

## VEGETABLE PRODCUT



VEGETABLE  
PRODCUT

47



His organic thoughts & concerns,  
gave us a healthy **FREEDOM.**





## RESEARCH WHEAT

### REMIK SARITA

#### Salient features:-

- Early maturity 100-110 days
- Profuse tillering habit Long spike with more grain
- Bright amber color bred bold grain, best for chapatti making
- High protein content
- High yield with good uniformity
- Resistant to rust
- High market value



### REMIK RATAN

#### Salient features:-

- Suitable for late & early sowing
- Maturity days is 110-120
- Average plant height 105-110
- Profuse more tillering habit
- Per spike more numbers of grains
- Attractive, lustrous bold grains
- Rust & heat tolerance

### REMIK NIRMAL

#### Salient features:-

- Maturity days 115-120 days
- Baking quality grain
- Good tillering habit
- Bold & semi hard
- lustrous grains
- Resistant to black & brown rust










## **HYBRID BAJRA**

### **REMIK 1020**

#### **Salient features.**

- Table top hybrid
- Maturity days 78-82
- Medium plant height 160-165 cm
- Ash green seed color
- Big & compact conical earhead
- High grain & fodder production
- Lodging tolerance strong stem
- Tolerance to downy mildew
- Suitable for all season



## **REMIK BREAD BOSS**

#### **Salient features:-**

- Maturity days 85-87
- More tillers per plant Long & lanceolate compact earhead
- High grain yielding & fodder production
- Stay green up to maturity.
- Resistant to lodging
- Tolerance to downy mildew

## **REMIK GOLDEN BREAD**

#### **Salient features:-**

- Maturity days 85-87
- More tillers per plant
- Long & lanceolate compact earhead
- High grain yielding & fodder production
- Stay green up to maturity
- Resistant to lodging
- Tolerance to downy mildew









## HYBRID MAIZE

### REMIK 7070

#### Salient features:-

- ◆ Suitable for cultivation in all three seasons.
- ◆ Get ready to harvesting in 95-105 days
- ◆ Vigorously growing & non-lodging tall plant.
- ◆ Big cob filled with grain up to the tips of ear.
- ◆ Bold & semi-flint very attractive orange-yellow colored grains.
- ◆ High shelling percentage High yield



## HYBRID MAIZE

### REMIK 3535

#### Salient features:-

- ◆ Special for rabi season
- ◆ Profuse vigor
- ◆ High beta-carotene %
- ◆ Bold & orange flint grains
- ◆ High shelling percentage
- ◆ Non lodging
- ◆ Resistant to common rust
- ◆ Maturity days: 120-130

## HYBRID MAIZE

### REMIK 2525

#### Salient features:-

- ◆ Suitable for kharif & rabi season
- ◆ Maturity days kharif: 95-100, rabi:110-115
- ◆ Tall, non lodging plant
- ◆ Milky white colored semi dent grains
- ◆ Excellent tip filling
- ◆ High grain yield with excellent fodder production
- ◆ Tolerant to leaf blights







"RICE : FROM FIELD TO FEAST!"



## HYBRID PADDY

### REMIK RAJ TIALK

#### Salient features:-

- Medium tall plant type (95-100 cm)
- Crop duration: 115-120 days
- Medium bold grain.
- Superior cooking quality
- Moderately tolerant to blast and bacterial leaf blight



## RESEARCH PADDY

### REMIK OTP

#### Salient features:-

- Long slender grain with medium aroma
- Medium heighted (95-105 cm) strong plant
- Maturity: 110-115 days
- Good cooking quality
- Suitable for kharif and summer season
- Tolerance to disease and pest
- High yielding

## RESEARCH PADDY

### REMIK POHA

#### Salient features:-

- Long bold grains,
- best suited for poha making
- Semi tall non-lodging and non-shattering
- Maturity: 100-110 days
- Good in taste
- High yield









## KRANTI

### Salient features:-

- ✦ Bunch type variety
- ✦ Early maturing variety
- ✦ High market value
- ✦ Maturity days is 100-110.
- ✦ Oil percentage is 50.51%
- ✦ Estimated yield is 1150-1200 kg/acreays
- ✦ Good in taste
- ✦ High yield



### GG = 20

### Salient features:-

- ✦ Semi-spreading variety
- ✦ Big, bold & pink colored seeds
- ✦ Export quality.
- ✦ High yield with best fodder
- ✦ Oil content 50.51%
- ✦ Days to maturity is 115-120
- ✦ High market value



### GJG = 22

### Salient features:-

- ✦ Semi-spreading variety
- ✦ High oil content 50.51%
- ✦ Pinkish & bold export quality seeds
- ✦ Resistant to collar rot
- ✦ High shelling percentage
- ✦ Days to maturity is 110-115



### TAG - 24

### Salient features:-

- ✦ Bunch type variety
- ✦ Early maturing
- ✦ Oil content 49.50%-
- ✦ Days to maturity is 100-110.
- ✦ High yielder



### GJG 32

#### Salient features:-

- ✓ Bunch type variety
- ✓ Higher oil (53.54%) and protein percentage
- ✓ Resistant to tikka & rust diseases
- ✓ Days to maturity is 115-125 days
- ✓ High yielder variety
- ✓ Yield estimated 1300-1400 kg/acre



### TG-37 A

#### Salient features:-

- ✓ Bunch type variety.
- ✓ Suitable for sandy and sandy-loam soils.
- ✓ Compact pod setting
- ✓ High yield & smooth pod surface.
- ✓ Days to maturity is 100-110 days.
- ✓ Tolerant to collar rot and bud necrosis



### TG-39

#### Salient features:-


- ✓ Bunch type variety
- ✓ Best for table purpose
- ✓ Big size, rose colored seeds
- ✓ Oil content is 49.9%
- ✓ High market value.



### GIRNAR 4

#### Salient features:-

- ✓ Semi-spreading variety
- ✓ High oil content 53%
- ✓ Pinkish & export quality seeds
- ✓ Resistant to collar rot
- ✓ High shelling percentage
- Days to maturity is 110-120









## RESEARCH SESAMUM

### REMIK BLACK SUPER

#### Salient features:-

- Z-black color grain with long storage capacity
- 8-9 branches from main stem.
- Pod formation from base of plant
- Medium hairiness with 4-6 pod in each node
- Tolerance to rot disease Maturity days are 90-100
- High yield with high market value
- Suitable for summer & kharif season



### REMIK 111

#### Salient features:-

- Mono stem variety
- Each leaf axil have
- 4-6 pods bearing
- Pod formation from base of the stem
- White bold seed
- More seeds per capsule
- Days to Maturity is 85-90

### REMIK WHITE GOLD

#### Salient features:-

- Export quality bold whitish seeds.
- Pod formation start from early stage.
- Less sucking pest due to hairiness on pods.
- 90-100 cm plant height.
- 4-9 branches per plant.
- 50-51% oil content.
- Suitable for kharif and summer sowing
- Maturity is in 80-85 days



### REMIK EARLY 60

#### Salient features:-

- Extra early maturity.
- Suitable for intercrop
- Excellent white color grain.
- Tolerance to rot disease.
- More market rate due to shining white color









## HYBRID CASTOR

REMIK 7777

### Salient features:-

- Red stem with double bloom.
- No. of effective branches are 6-8 per plant
- Plant height is 165-170 cm
- No. of spike 16-20
- Main spike length is 95-100 cm
- Crop duration is 210-215 days
- Wilt & root rot resistance variety



## REMIK MILLIONAIRE

### Salient features:

- Green stem with triple bloom
- Spreading plant growth having divergent branching.
- No. of branching is 7 to 9
- Length of main spike is 75-90 cm.
- More no. of capsule per spike
- Plant height is 95-115 cm
- Oil content is 49.2% Wilt & root rot resistance variety









## HYBRID COTTON

### MEERAYA

#### Characteristics :-

- ☼ Medium maturing variety
- ☼ Erect - An open type of plant
- ☼ More fruitful branches, Harband Jindwa
- ☼ Hairy leaves so resistant to bollworms 0 large bolls and heavy cotton
- ☼ Strong plant so the branch does not break Able to reapply frequently

### REMIK FASTY

#### Salient features:-

#### Early maturing and high yielding variety

- ☼ Large and harband Jindwa
- ☼ More number of main branches
- ☼ Suitable for other crops - wheat, potato, cumin etc
- ☼ Resistant to dry pests
- ☼ Adaptable to odd / non irrigated and any soil
- ☼ variety suitable for cultivation in narrow spaces
- ☼ variety that ripens together









## HYBRID MUSTARD

### REMIK BLACK MONEY

#### Salient features:-

- Dwarf plant habit
- Early maturity 105-120 days
- Superiour yield
- High no. Of branches and pods per plant Attractive bold seed



## RESEARCH MUSTARD

### REMIK MINISTER

#### Salient features:-

- Dwarf plant
- Matures in 110-120 days
- More no. of secondary branches & siliquae/plant
- Bright, bold and blackcolored grain
- Higher oil percentage









## RESEARCH SUNFLOWER

### Salient features:-

- Medium tall hybrid with droopy flat medium heads.
- Matures in 80-90 days (kharif) & 93-98 days (rabi)
- Compact seed filling with high oil percentage (40-45%).
- Bold & black elongated seeds with light stripe
- High volume head Highly tolerant to alternaria & TSV.
- Widely adopted all sunflower growing areas



## LEGUME SEEDS CROP

### RESEARCH SOYABEAN

### REMIK PENTHAR

### Salient features:-

- Violet colored flowers.
- Black hilum with yellowish color grains.
- High oil content.
- Protein content 40-41%.
- Duration: 95-100 days









## RESEARCH GRAM

### REMIK CHETAK

#### Salient features:-

- Medium spreading tall plant
- Pod color creamy at maturity.
- Medium bold size grain
- Yellow brown color grain
- Maturity days 95-100
- Wilt resistant
- Suitable to irrigated & rainfed condition
- High yield with high market rate
- Suitable for all type of soils



## REMIK WHITE MONEY

### Highest yielding variety

- ❁ White medium attractive grains
- ❁ Higher production and higher market price
- ❁ Resistant to blight disease
- ❁ A medium maturing variety



## RESEARCH GREEN GRAM

### REMIK SHAKTI

#### Salient features:-

- Suitable for kharif and summer season-
- 60-75 cm plant height
- 9-12 branches per plant
- More no. of cluster per plant
- Long pod having 11-12 grains per pods
- Big sized, dark green shiny grain
- Synchronize maturity
- Maturity days: 70-75 -
- Highly tolerance to mosaic virus



## REMIK GREEN FUEL

#### Salient features:-

- Suitable for kharif and summer season
- 65-80 cm plant height
- 10-13 branches per plant
- More no. of cluster per plant
- Long pod having 11-12 grains per pods
- Big sized, dark green shiny grain
- Synchronize maturity
- Maturity days: 70-75
- Tolerance to mosaic virus

## RESEARCH BLACK GRAM

### REMIK BLACK GOLD

#### Salient features:-

- Suitable for kharif and summer season.
- Dwarf plant with early maturity
- Smooth pods without hairiness
- More branches with main stem.
- More no. of cluster per plant
- Attractive black color grain with green shining
- Maturity days: 70-75











## RESEARCH PEA

### REMIK WONER STROW

#### Salient features:-

- More Number of Pods per Plant.
- 8-10 Seed Per Pod.
- Seeds are Bold and Green Colored
- Maturity 100-105 Days
- Plant height: 60-70 cm



## RESEARCH PIGEONPEA

### REMIK 511

#### Salient features:-

- ☞ Suitable for vegetable & grain purpose.
- ☞ Whitish flowers and pods are in clusters.
- ☞ Every pod bears big, whitish brown colored & bold grains
- ☞ Early flowering & Continuous picking
- ☞ Medium duration variety (165-180)
- ☞ Tolerant to wilt disease





## RESEARCH CLUSTERBEAN

### REMIK STICKY

#### Salient features:-

- Suitable for irrigated & un-irrigated area
- Best variety for summer & kharif sowing.
- Medium heighted single branched plant.
- Pods are in cluster from base.
- High yielder compared to other variety



## RESEARCH CLUSTERBEAN

### REMIK GREEN VIBE

#### Salient features:-

- Early maturing variety (70-90 days)
- Plant height is 85-90 cm tall
- Plants are profusely branched
- More no. of pods per plant.
- Seeds are light fawn in color
- High yielding









## RESEARCH CORIANDER

### REMIK SUPER

#### Salient features:-

- Best for commercial seed production.
- More numbers of sub-branches Synchronize maturity.
- Maturity days: 90-95 days
- High yield



### REMIK HALLMARK

#### Salient features:-

- Best for commercial seed production
- Medium sized grain Bushy & Tall plant
- Good aroma
- Synchronize maturity
- Days to maturity is 90-100 days.
- Tolerance to powdery mildew







## RESEARCH CUMIN

### REMIK - 5

#### Salient features:-

- Dark green Plant with good canopy bunch.
- Germinate with good vigor.
- More no. of branches.
- Tolerant to wilt disease.
- Bumper yield.
- More market value
- Note: cumin seed showing should be done at 25-27°C
- Temperature with recommended seed rate



## RESEARCH CUMIN

### REMIK SPICE JET

- Newly modified cumin seeds.
- " Seed treatment by machine.  
(SEED 100CL, VITAVAX, THIAMETNOXAM
- Quick and powerful growth of the plant.
- Resistance to Wilt.
- High Yield
- Available in 2 kg packing.

## HYBRID FENNEL

### REMIK GREEN AMBER

#### Salient features:-

- Greenish color attractive grain.
- Vigorous plant growth.
- More basal branching
- High oil content.
- Resistant to sugary secretion.





## RESEARCH FENUGREEK

### REMIK KESAR

#### Salient features:-

- A quick growing dual purpose, seeds contain higher protein
- Early maturing variety
- Vigorous semi erect medium sized, moderately branched growth habit
- Bold and big size grain.
- Grains are attractive typical yellow colored
- Tolerant to root rot disease



### Research Psyllium (Isabgol)

#### REMIK MARVELLO

#### Salient features:-

- Plant height: 30-40 cm.
- More no. of tillers.
- Large number of flowering shoot from the base of plant.
- Seed husk thin, boat shaped, while translucent









## FORAGE SEED CROP

### RESEARCH LUCERN

#### REMIK 1

##### Salient features:-

- Green crop duration: one year
- Green super crop seasons: three
- Multi cutting variety.
- It has dark green foliage, oblong leaves & thick stem it has
- good regeneration capacity.
- High protein content.
- Seed free from amarevel



## RESEARCH LUCERN

### Remik TerraBella

##### Salient features:-

- Green crop duration: three year
- Green super crop seasons: three
- Multi cutting variety.
- It has dark green foliage, oblong leaves & thick stem
- has good regeneration capacity.
- High protein content.
- Seed free from amarevel



## RESEARCH MAIZE (AFRICAN TALL)

### REMIK MAXICA TALL

#### Salient features:-

- Single cut maize
- Plant height: 9-11 feet
- Good for animal health as it contains 18-20% protein
- Dry matter: 17.65%
- No. of leaves: 13-14.
- Stem thickness: 1.5-1.7 cm
- Leaf-stem ratio: 0.27



## BARSIM

### REMIK SON FLORA

- Also Called King of Fodder for Cattle
- High Germination and MultiCut Grass
- Barseem seed use for Cattle Feed for Goat, Cow
- Nutritive value-Berseem is highly palatable fodder
- and it contains 17% crude protein and 25.9% crude
- fibre. The total digestible nutrients content is 60-65%.
- Berseem contains saponins, if fed in high quantity to
- ruminants leads to bloat.


## MP CHARI -

### Remik Bar Bar

- It contains high protein (9.86%), dry matter (25.9%) and less crude fiber (19.8%).
- The plants are 270-290 cm tall with 2.5-3.0 cm stem girth, having 15-20 tillers per plant.
- It can be grown under an annual rainfall of 300-350mm. It can be grown on any soil except on very sandy soils.







## HYBRID SSG

REMIK 88

### Salient features:-

- 🌽 Red seeded, Multi-cut SSG variety.
- 🌽 Plant height: 6-9 feet tall.
- 🌽 Medium thick succulent stem
- 🌽 Lodging resistant.
- 🌽 First cutting at 45-50 days.
- 🌽 Good re-growth potential.
- 🌽 Good green fodder yield compare to others.
- 🌽 Stay green and clean foliage.
- 🌽 Good quality fodder with palatability and juiciness
- 🌽 Tolerant to major pest and disease



## REMIK MILKY WHITE

### Salient features:-

- 🌽 White seeded,
- 🌽 Multi-cut SSG variety
- 🌽 Plant height: 210-270 cm
- 🌽 First cutting at 50-55 days
- 🌽 Green stem having 8 to 12 nodes
- 🌽 Stem juiciness: sweet & juicy
- 🌽 High protein content
- 🌽 Low HCN content





## PREMIUM RAJAKA BAJRI

### REMIK BARFI

#### Salient features:-

- Multicut (4 to 5 Cuts with 50 Days interval),
- High biomass and better standability.
- Good rejuvenation with strong stem
- Suitable for dry and irrigated conditions.
- Tolerant to water stress as well as water logging conditions
- Tolerant to major pests (Stem borer and shoot fly) under natural field conditions
- High Digestibility with high protein and high metabolic energy.
- High nutritional fodder helps in better health of animal
- Resistant to Lodging



## RESEARCH RAJAKA BAJRI

### REMIK RAJKA BAJRI

#### Salient features:-

- Bumper fodder yield
- Vigorous growth.
- Sweet fodder.
- Broad & dark coloured leaves.
- Multicut (3 to 4 Cuts with 50 Days interval),
- High biomass and better standability





## RESEARCH PERENNIAL GUINEA GRASS

### REMIK LEAFY QUICK

#### Salient features:-

- 🌱 new generation Guinea grass
- 🌱 Perennial grass with excellent yield
- 🌱 Shade loving and good for intercropping with orchids
- 🌱 Suitable for irrigated & dry land cropping system
- 🌱 Good for inter cropping
- 🌱 No of cutting 7 to 8
- 🌱 No. cutting interval 25 days



## RESEARCH ANNUAL RYE GRASS

### Remik Leafy Haven

#### Salient features:-

- 🌱 Short-lived, cool-season lawn grass.
- 🌱 Fast germination and establishment.
- 🌱 Used for quick color and erosion control.
- 🌱 Ideal for winter overseeding of warm-season lawns.
- 🌱 Resists disease and tolerates foot traffic.
- 🌱 No of cutting 6 to 8
- 🌱 No of cutting Interval 30 day



## IMPORTANT CHICORY

### REMIK MITHA PAN

- 🌱 Mithapana is a perennial fodder chicory
- 🌱 Sweet leaf can be the best protein rich crop for small farmers
- 🌱 Protein 25% to 35% with excellent NDF and low ADF
- 🌱 Meethapana can be taken alone with crop and can
- 🌱 be mixed with any cereal



## RESEARCH CHICORY

### REMIK YUMMY

#### Salient features:-

- 🌱 Vigorous seedling growth
- 🌱 Uniform leaf shape, more erect growth habit.
- 🌱 Fodder palatability is high
- 🌱 Good digestible protein and
- 🌱 High nutritive value

## RESEARCH OAT

### REMIK DAIRY TIKA

#### Salient features:-

- 🌱 First cutting 50 days after sowing
- 🌱 Higher leaf to stem ratio
- 🌱 Good content of crude protein
- 🌱 Higher yield
- 🌱 Tolerance to leaf blight, root rot
- 🌱 & powdery mildew disease
- 🌱 High nutritional multicut annual grass
- 🌱 Improve quality milk production.
- 🌱 More palatable grass





# OUR CERTIFIED VARIETY



WHEAT

LOK -1



WHEAT

GW- 496



WHEAT

GW- 451



WHEAT

GW-273



WHEAT

GW-173



CUMIN

GUJARAT CUMIN - 4



SESAMUM

GUJARAT-2



SESAMUM

GUJARAT-3



# OUR CERTIFIED VARIETY



GRAM

PHULE VIKRAM



GREEN GRAM

GUJARAT-4



BLACK GRAM

T-9



SOYABEAN

JS 335



SOYABEAN

KDS-726  
(PHULE SANGAM)



SOYABEAN

JS 9560



SOYABEAN

JS 9305



PADDY

PB 1509



PADDY

PB 1718



# Remik® SEEDS

अच्छे बीज, अच्छे दिन

# रेमिक बीज के उपहार

सर्दी, सब्जी से सेहत का त्यौहार



REMIK  
CHANDANI



REMIK  
WHITE SKY



REMIK  
CLEVER CUT



REMIK  
HOT STICK



REMIK  
RED



REMIK  
MOODY RED



REMIK  
KALAM



REMIK  
ORANGE BARREL



REMIK  
BALL



REMIK  
GREEN 4 U



REMIK  
JUGNU



REMIK  
BE COOL



REMIK  
MILANO



REMIK  
AROMA



REMIK  
TANDURASTI



REMIK  
KESAR



REMIK  
JYOTI



REMIK  
PIXIE LEAF



REMIK  
LEAFY DEAL



REMIK  
HARABHARA



REMIK  
RED RAJ



REMIK  
BEANS BRO



REMIK  
VARDAN



REMIK  
SURTI



REMIK  
LADY GREEN



REMIK  
RASMALAI



REMIK  
POP UP



REMIK  
SILKY



REMIK  
FRESH FINGER



REMIK  
RED FINGER



REMIK  
MAKHMALI



REMIK  
SIMRAN



REMIK  
MLA



REMIK  
SALADO



REMIK  
KASTURI

## REMIK AGRISEEDS PVT. LTD.

☎ 89 80 70 1000 , 89 80 70 5252

✉ remikagriseed@gmail.com

🌐 www.remikseeds.com

Follow us on :      

📍 Godown No. 6, Property No. 1545,

Shreeji Farm Estate, Nr. Forest

Nursery, N.H. 8, Aslali, Taluka:

Dasroi, Ahmedabad-382427, Gujarat.





# Remik<sup>®</sup>

SEEDS

अच्छे बीज, अच्छे दिन



REMIK  
1068



REMIK  
1058



REMIK  
KHATTA



REMIK  
BERRY



REMIK  
DEVANSHI



REMIK  
KASHMIRI



REMIK  
SARKAR



REMIK  
RED SPICE



REMIK  
ITALIAN



REMIK  
SHLOK



REMIK  
VEGAN



REMIK  
UTSAV



REMIK  
ROSEY SPINE



REMIK  
DEV



REMIK  
SHUBHRA



REMIK  
BLACK DOLLA



REMIK  
MUKTA



REMIK  
LATTU BOY



REMIK  
URMILA



REMIK  
ARPITA



REMIK  
MIRAJ



REMIK  
GREEN LONG



REMIK  
KAJU



REMIK  
VITAPURE



REMIK  
FRESH SLICE



REMIK  
MUSKAN



REMIK  
MAHKHAN



REMIK  
CRUNCY CUT



REMIK  
CHIBHDA



REMIK  
SHIVLING



REMIK  
PINKY SWEET



REMIK  
ANTHEM



REMIK  
JELLY BEAN



REMIK  
SAKAR



REMIK  
CELINA



REMIK  
VEG GOD



REMIK  
HERO BITE



REMIK  
511



REMIK  
FAIRY STICK



REMIK  
SHUBHARAMBH



REMIK  
CELEBRATION



REMIK  
ORNA



| SR.NO | GROUP OF CROPS | CROP NAME | PLANTING TIME                                                    | SEED RATE (KG/HA ) |         |         | PLANTING DISTANCE<br>(C.M.)            | DEPTH SHOWING (C.M.) | FYM (TONE/HA) | FERTILIZERE (KG/HA ) |       |    | YIELD (QT./HA.) | Life Duration | MAIN DEASIES & PEST                                                                                        | VARIETY                                                                                                            |
|-------|----------------|-----------|------------------------------------------------------------------|--------------------|---------|---------|----------------------------------------|----------------------|---------------|----------------------|-------|----|-----------------|---------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
|       |                |           |                                                                  | KHARIF             | SUMMER  | RABI    |                                        |                      |               | N                    | P     | K  |                 |               |                                                                                                            |                                                                                                                    |
| 1     | CERAL CROP     | WHEAT     | NOV                                                              |                    |         | 100-120 | 23 X 5                                 | 5                    | 12.5          | 120                  | 60    | 60 | 45-55           | 105-115       | Root rots,Black rust, Stem rust<br>Termite, American pod bore                                              | Remik Sarita<br>Remik Ratan                                                                                        |
| 2     | CERAL CROP     | BAJARA    | ALL SEASON                                                       | 3.5-4              | 5       | 3.5-4   | 40 - 60 X 10 -15                       | 04 TO 07             | 0             | 80 - 120             | 40-60 | 0  | 15-20           | 110-120       | Ergot<br>Spotted stem borer , Shoot fly , White grubs                                                      | REMIK 1020,<br>REMIK BREAD BOSS                                                                                    |
| 3     | CERAL CROP     | PADDY     | JUNE - JULY,<br>NOV - DEC                                        | 20-25              | 25-30   |         | 20 X 15                                | 04 TO 08             | 0             | 100                  | 30    | 0  | 45 - 60         | 115 - 120     | Bacterial blight, Foot rot<br>Rice weevil<br>Rice stink bug ,Yellow stem borer                             | REMIK OTP , REMIK POHA , REMIK RAJ TILAK                                                                           |
| 4     | CERAL CROP     | MAIZE     | KHARIF - 15 June- 31 July<br>RABI -Oct- Nov<br>SUMMER- FEB-MARCH | 20                 | 20-25   | 22      | 45-60 X 20                             | 04 TO 08             | 12.5          | 120                  | 60    | 0  | 30 - 40         | 95 -100       | Rust, Fusarium<br>Armyworm,Corn earworm                                                                    | REMIK 2525 , REMIK 3535 , REMIK 7070                                                                               |
| 5     | OIL CROP       | GROUNDNUT | KHARIF- Jun- July<br>SUMMER- JAN -FEB                            | 100 -120           | 120-130 |         | 75 X 15 Cm<br>60 X 15 Cm<br>45 X 15 Cm | 07 TO 08             | 08 TO 10      | 25                   | 50    | 0  | 20 - 25         | 105 - 120     | leaf spot , Rusts<br>Aphids ,White grubs ,Termites                                                         | GG -2 , GG -20 , GJG - 22 , TGA - 24 , GJG - 32 , TG 37 - A , TG - 39 , SB - 11 , KDG - 128 , GG 66 , REMIK KRANTI |
| 6     | OIL CROP       | SESAMUM   | KHARIF- Jun- July<br>SUMMER- FEB - MARCH                         | 2.5 - 3.0          | 05-5.5  |         | 40 - 60 X 10 - 20                      | 05 TO 06             | 05 TO 06      | 25                   | 25    | 0  | 1.8 - 2.0       | 80 - 90       | Phytophthora blight ,Wilt<br>Gall midge,Sesame webworm,Bihar hairy caterpillar                             | REMIK BLACK SUPER ,<br>REMIK WHITE GOLD ,<br>REMIK 111 , REMIK EARLY 60                                            |
| 7     | OIL CROP       | CASTOR    | JULY - AUG.                                                      | 05 TO 06           |         |         | 90 - 120 X 60                          | 05 TO 06             | 90-Jan        | 75                   | 50    | 0  | 25 - 30         | 180 - 200     | Alternaria blight , Wilt ,Cercospora leaf spot<br>Semilooper, Shoot and capsule borer , Leafhopper         | REMIK 7777,<br>REMIK MILLIONAIRE                                                                                   |
| 8     | OIL CROP       | SOYABEAN  | Jun- July                                                        | 60 -70             |         |         | 45 X 15                                | 05 TO 06             | 5             | 45                   | 60    | 0  | 18 - 20         | 100 -110      | Phytophthora root and stem rot<br>Downy mildew , Bean leaf beetle ,Gall Midge                              | REMIK PANTHER                                                                                                      |
| 9     | OIL CROP       | MUSTARD   | OCT - NOV                                                        |                    |         | 3.5- 04 | 45 X 10 - 15                           | 02 TO 03             | 10.5 - 12.0   | 45                   | 30    | 40 | 2.0 - 2.2       | 85-90         | Alternaria blight , White rust , Downy mildew<br>Aphids, Painted bug , Sclerotinia stem rot                | REMIK MINISTER,<br>REMIK BLCK MONEY                                                                                |
| 10    | OIL CROP       | COTTON    | Jun- July                                                        | 04.0- 05.0         |         |         | 120 X 60                               | 05 TO 08             | 10.0 - 12 .0  | 100                  | 80    | 50 | 3500 - 400      | 170 -200      | Bacterial blight ,Root Rot , WILT<br>Bollworms , White flies , PIN WORMS<br>Gram pod borer ,Blister beetle | REMIK CHETAK, REMIK WHITE MONEY                                                                                    |



| SR.NO | GROUP OF CROPS | CROP NAME           | PLANTING TIME                         | SEED RATE (KG/HA ) |         |             | PLANTING DISTANCE<br>(C.M.) | DEPTH SHOWING (C.M.) | FYM (TONE/HA) | FERTILIZERE (KG/HA ) |    |    | YIELD (QT./HA.) | Life Duration | MAIN DEASIES & PEST                                                                | VARIETY                         |
|-------|----------------|---------------------|---------------------------------------|--------------------|---------|-------------|-----------------------------|----------------------|---------------|----------------------|----|----|-----------------|---------------|------------------------------------------------------------------------------------|---------------------------------|
|       |                |                     |                                       | KHARIF             | SUMIMER | RABI        |                             |                      |               | N                    | P  | K  |                 |               |                                                                                    |                                 |
| 11    | OIL CROP       | SUNFLOWER           | OCT - NOV                             |                    |         | 12.5 - 15   | 45 X 15                     | 03 TO 05             | 12.0 - 15.0   | 45                   | 30 | 40 | 1.5 - 1.8       | 120 - 135     | Septoria leaf spot , Downy mildew , Rust<br>Aphids                                 | REMIK SUNBRUST                  |
| 12    | PULSE CROP     | GRAM                | OCT - NOV                             |                    |         | 60 -65      | 30 - 45 X 10 - 15           | 05 TO 08             | 10.0 - 12 .0  | 20                   | 40 | 0  | 20 -26          | 100 - 110     | Powdery mildew , WILT<br>Gram pod borer ,Blister beetle                            | REMIK CHETAK, REMIK WHITE MONEY |
| 13    | PULSE CROP     | GREEN GRAM          | KHARIF- Jun-July<br>SUMMER- JAN - FEB | 18 -20             | 20-25   |             | 30 - 45 X 10 - 15           | 05 TO 08             | 10.0 - 12 .0  | 20                   | 40 | 0  | 13 -15          | 85 - 90       | Anthrachnose , yellow mosaic, WILT<br>Gram pod borer ,Blister beetle               | REMIK SHAKTI, REMIK GREEN FUEL  |
| 14    | PULSE CROP     | BLACK GRAM          | KHARIF- Jun-July<br>SUMMER- JAN - FEB | 15 -18             | 20 - 22 |             | 30 - 45 X 10 - 15           | 05 TO 08             | 10.0 - 12 .0  | 20                   | 40 | 0  | 10.0 - 12.0     | 85 - 90       | Anthrachnose , yellow mosaic, WILT<br>Gram pod borer ,Blister beetle               | REMIK BLACK GOLD                |
| 15    | PULSE CROP     | PIEGON PEA          | Jun- July                             | 15 -18             |         |             | 90 X 20                     | 05 TO 08             | 10.0 - 12 .0  | 20                   | 50 | 0  | 10.0 - 12.0     | 170 - 180     | Anthrachnose , yellow mosaic, WILT<br>Gram pod borer ,Blister beetle               | REMIK PEAK PROFIT               |
| 16    | SPICE CROP     | CUMIN               | NOV.                                  |                    |         | 14 -16      | BROADCAST OR 30             | 02 TO 03             | 08.00 - 10.00 | 30                   | 20 | 0  | 1.0 -1.2        | 110 - 115     | Fusarium wilt , Alternaria blight<br>Thrips , Aphids                               | REMIK - 5, REMIK SPICE JET      |
| 17    | SPICE CROP     | CORIANDER           | OCT - NOV.                            |                    |         | 16 - 20     | 30 X 15                     | 02 TO 03             | 10.0 - 12.0   | 30                   | 40 | 20 | 1.5 -2.0        | 110 - 115     | Powdery mildew , WILT , Stem rot<br>Whitefly , Cutworm , Indigo caterpillar ,Aphid | REMIK SUPER                     |
| 18    | SPICE CROP     | CORIANDER ( DHANI ) | OCT - NOV.                            |                    |         | 12.5 - 15.0 | 30 X 15                     | 02 TO 03             | 10.0 - 12.0   | 30                   | 40 | 20 | 1.2 -1.5        | 110 - 115     | Powdery mildew , WILT , Stem rot<br>Whitefly , Cutworm , Indigo caterpillar ,Aphid | REMIK HALLMARK                  |
| 19    | SPICE CROP     | FENUGREEK           | KHARIF- Jun-July<br>RABI - OCT - NOV. | 25                 |         | 16 - 20     | 30 X 10                     | 03 TO 05             | 08.0 TO 10.00 | 20                   | 40 | 0  | 2.0 - 2.2       | 110 - 115     | Powdery mildew , WILT , Stem rot<br>Whitefly , Cutworm , Indigo caterpillar ,Aphid | REMIK KESAR                     |
| 20    | SPICE CROP     | ISABGUL             | OCT - NOV.                            |                    |         | 04.0 - 05.0 | 30 X 10                     | 03 TO 05             | 08.0 TO 10.00 | 20                   | 40 | 0  | 2.0 - 2.2       | 110 - 115     | Powdery mildew , WILT , Stem rot<br>Whitefly , Cutworm , Indigo caterpillar ,Aphid | REMIK KESAR                     |



| SR.NO | GROUP OF CROPS | CROP NAME             | PLANTING TIME                           | SEED RATE (KG/HA ) |            |             | PLANTING DISTANCE | DEPTH SHOWING (C.M.) | FYM (TONE/HA) | FERTILIZERE (KG/HA ) |    |    | YIELD (QT./HA.) | Life Duration | MAIN DEASIES & PEST                                                                | VARIETY                              |
|-------|----------------|-----------------------|-----------------------------------------|--------------------|------------|-------------|-------------------|----------------------|---------------|----------------------|----|----|-----------------|---------------|------------------------------------------------------------------------------------|--------------------------------------|
|       |                |                       |                                         | KHARIF             | SUMMER     | RABI        |                   |                      |               | N                    | P  | K  |                 |               |                                                                                    |                                      |
| 21    | SPICE CROP     | FUNNEL                | SEED BED : JUN - JULY<br>TP : AUG -SEP. |                    |            | 04.0 - 05.0 | 90 X 60           | 03 TO 05             | 08.0 TO 10.00 | 20                   | 40 | 0  | 2.8 - 3.0       | 160 -170      | Powdery mildew , WILT , Stem rot<br>Whitefly , Cutworm , Indigo caterpillar ,Aphid | REMIK KESAR                          |
| 22    | FODDER CROP    | SOGHUM                | ALL SEASON                              | 60 -65             | 80         | 60 -65      | 30 X 15           | 02 TO 03             | 05.0 - 06.0   | 75                   | 40 | 0  | 650 -900        | 45            | Sorghum grain mould , anthracnose , Ergot midge , fall armyworm, cornstalk borer   | REMIK 88 , REMIK MILKY WHITE         |
| 23    | FODDER CROP    | RAJAKA BAJARI         | ALL SEASON                              | 10.0 - 12.0        | 10.0 -12.0 | 10.0 - 12.0 | 20 X 15           | 02 TO 03             | 05.0 - 06.0   | 100                  | 50 | 40 | 300 -350        | 40            | Rust , Downy mildew , Smut<br>fall armyworm                                        | REMIK RAJAKA BAJRI                   |
| 24    | FODDER CROP    | PRIMIUM RAJAKA BAJARI | KHARIF- Jun-July<br>SUMMER-JAN - FEB    | 15 - 20            | 15 - 20    |             | 30 X 15           | 02 TO 03             | 05.0 - 06.0   | 80                   | 50 | 40 | 500 -600        | 40            | Rust , Downy mildew , Smut<br>fall armyworm                                        | REMIK BARFI                          |
| 25    | FODDER CROP    | MAIZE                 | ALL SEASON                              | 55-60              | 55-60      | 55-60       | 30 X 15           | 05 TO 08             | 05.0 - 06.0   | 80                   | 30 | 40 | 500 -800        | 45            | Rust , Downy mildew , Smut<br>fall armyworm                                        | REMIK MEXICA TALL                    |
| 26    | FODDER CROP    | LUCERN                | OCT - NOV.                              |                    |            | 10.0 - 12.0 | 45 X 15           | 05 TO 08             | 05.0 - 06.0   | 65                   | 75 | 50 | 700 -900        | 45            | Leaf spot , , Bacterial wilt<br>Nematodes , Aphids                                 | REMIK 1                              |
| 27    | FODDER CROP    | CHICKORY (KASNI )     | OCT - NOV.                              |                    |            | 20 -25      | 45 X 15           | 02 TO 03             | 05.0 - 06.0   | 65                   | 75 | 50 | 500 - 600       | 35            | Leaf spot , Bacterial wilt<br>Nematodes , Aphids                                   | REMIK 1                              |
| 28    | FODDER CROP    | OAT                   | OCT - NOV.                              |                    |            | 90-100      | 30 X 20           | 02 TO 03             | 05.0 - 06.0   | 80                   | 30 | 0  | 500 - 600       | 35            |                                                                                    | Remik Dairy Tika                     |
| 29    | FODDER CROP    | GREEN GRASS           | ALL SEASON                              | 06.0 - 07.0        | 06.0 -07.0 | 06.0 - 07.0 | 30 X 20           | 02 TO 03             | 05.0 - 06.0   | 80                   | 30 | 0  | 500 - 600       | 35            |                                                                                    | Remik Leafy Quick, Remik Leafy Haven |
| 30    | FODDER CROP    | BARSIM                | ALL SEASON                              | 20 -25             | 20 -25     | 20 -25      | 25 X 10           | 02 TO 03             | 15 -20        | 20                   | 40 | 0  | 500 -600        | 40 -45        |                                                                                    | REMIK SON FLORA                      |
| 31    | FODDER CROP    | MIP CHARI             | ALL SEASON                              | 20 -25             | 20 -25     | 20 -25      | 25 X 10           | 02 TO 03             | 15 -20        | 30                   | 30 | 0  | 200 -250        | 50-60         | REMIK BAR BAR                                                                      | REMIK SON FLORA                      |





# Remik<sup>®</sup>

SEEDS

अच्छे बीज, अच्छे दिन

**REMIK AGRI SEEDS PVT.LTD.**

89 80 70 1000 , 89 80 70 5252

remikagriseed@gmail.com

www.remikseeds.com

Follow us on :      

Godown No. 6, Property No. 1545,

Shreeji Farm Estate, Nr. Forest

Nursery, N.H. 8, Aslali, Taluka:

Dascroi, Ahmedabad-382427, Gujarat.



CATLOUGE PDF

